					RTMENT OF I	OF UTAH NATURAL RES L, GAS AND I			AMENDED R	FORM 3				
		APPLIC	CATION FOR	PERMIT TO	D DRILL			1. WELL NAME and NUMBER Chapita Wells Unit 1583-25D						
2. TYPE O		LL NEW WELL (REENTER P	&A WELL	DEEPEN WE	=u.(□)		3. FIELD OR WILDCAT NATURAL BUTTES						
4. TYPE O		Gas We		bed Methane W				5. UNIT or COMMU	NITIZATION A		NT NAME			
6. NAME C	F OPERATOR	Gas we			veii. NO			7. OPERATOR PHONE						
8. ADDRES	SS OF OPERATO	OR .	EOG Reso	urces, Inc.				9. OPERATOR E-MA	435 781-9111 IL					
10 MINE	RAL LEASE NUM		East Highway 4	0, Vernal, UT,	84078 AL OWNERSH	TD		kaylene_q	gardner@eogres	sources.co	m			
	, INDIAN, OR S			FEDERAL (I		- ·	FEE 💮		-	ATE	FEE 💮			
13. NAME		WNER (if box 12	= 'fee')					14. SURFACE OWN	ER PHONE (if I	oox 12 =	'fee')			
15. ADDRI	ESS OF SURFAC	E OWNER (if box	12 = 'fee')					16. SURFACE OWN	ER E-MAIL (if	box 12 =	'fee')			
				18. INTEND	TO COMMIN	GLE PRODUCT	TION FROM	19. SLANT	· ·					
	N ALLOTTEE O	K IKIBE NAME		MULTIPLE I	FORMATIONS	3	_							
				YES (Submit Comm	ingling Applicat	cion) NO 🔟	VERTICAL DIF	RECTIONAL 📵	HORIZ	ONTAL 🔝			
20. LOCA	TION OF WELL		F	DOTAGES		QTR-QTR	SECTION	TOWNSHIP	RANGE	N	MERIDIAN			
LOCATIO	N AT SURFACE		2143 F	NL 1177 FWL		SWNW	25	9.0 S	22.0 E		S			
Top of Uppermost Producing Zone 2306 F			FNL 246 FWL		SWNW	25	9.0 S	22.0 E		S				
At Total I	Depth		2306	FNL 246 FWL		SWNW	25	9.0 S	22.0 E		S			
21. COUN		IINTAH		22. DISTAN	ICE TO NEARE	EST LEASE LIN 246	IE (Feet)	23. NUMBER OF AC	RES IN DRILL	ING UNIT	•			
25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 500 26. PROPOSED DEPTH MD: 9442 TVD: 9310														
27. ELEVA	TION - GROUN			28. BOND N				29. SOURCE OF DR WATER RIGHTS AP	PROVAL NUME		PLICABLE			
<u> </u>		5079		Hole, (IM2308 Cement Inf	ormation		49-225					
String	Hole Size	Casing Size	Length	Weight	Grade &		Max Mud Wt.	Cement	Sacks	Yield	Weight			
Surf	12.25	9.625	0 - 2250	36.0	J-55	ST&C	0.0	Type III	135	4.1	10.5			
Prod	7.875	4.5	0 - 9442	11.6	N 90	LT&C	10.5	Type V	135	1.18	15.6			
Piou	7.673	4.3	0 - 9442	11.0	14-60	LIAC	10.5	Light (Hibono	795	1.47	13.5			
			'	'	ATTAC	CHMENTS			<u>'</u>	1				
	VERIFY TH	E FOLLOWING	ARE ATTAC	HED IN ACC	ORDANCE V	WITH THE U	TAH OIL AND G	AS CONSERVATI	ON GENERA	L RULES	3			
I ✓ WE	LL PLAT OR MA	P PREPARED BY I	LICENSED SU	RVEYOR OR E	NGINEER	✓ COM	IPLETE DRILLING	PLAN						
AFF	AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE) FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER													
DRILLED) DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY TOPOGRAPHICAL MAP														
NAME Nanette Lupcho TITLE Regulatory Assistant							PHONE 435 781-	9157						
SIGNATU	IRE		DAT	11/03/2011			EMAIL Nanette_	Lupcho@EOGResource	es.com					
	BER ASSIGNED 475215800		АРР	ROVAL		·	Permit	Manager						



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

	CWU 1	580-25D	CWU 1	581-25D	CWU 1	CWU 1582-25D		583-25D
FORMATION	TVD	MD	TVD	MD	TVD	MD	TVD	MD
Green River	1513	1529	1510	1542	1521	1532	1510	1536
Birdsnest	1718	1741	1726	1769	1734	1748	1715	1752
Mahogany Oil Shale Bed	2286	2329	2290	2361	2290	2312	2276	2342
Wasatch	4628	4703	4635	4778	4636	4681	4618	4751
Chapita Wells	5222	5297	5230	5372	5232	5277	5210	5343
Buck Canyon	5889	5963	5882	6024	5917	5962	5866	5999
North Horn	6582	6657	6602	6744	6574	6619	6579	6712
KMV Price River	6929	7004	6945	7087	6929	6974	6913	7045
KMV Price River Middle	7803	7878	7815	7958	7804	7849	7796	7928
KMV Price River Lower	8605	8679	8616	8758	8605	8650	8598	8730
Sego	9120	9195	9131	9274	9121	9166	9107	9239
TD	9320	9395	9335	9477	9325	9370	9310	9442
ANTICIPATED BHP (PSI)			509	97	509	91	508	83

	CWU 1584-25D CWU			585-25D		
FORMATION	TVD	MD	TVD	MD		
Green River	1513	1525	1523	1540		
Birdsnest	1715	1730	1722	1744		
Mahogany Oil Shale Bed	2271	2294	2261	2295		
Wasatch	4609	4640	4595	4646		
Chapita Wells	5201	5231	5188	5238		
Buck Canyon	5876	5906	5874	5924		
North Horn	6555	6586	6533	6583		
KMV Price River	6885	6916	6859	6909		
KMV Price River Middle	7772	7803	7751	7802		
KMV Price River Lower	8575	8606	8554	8605		
Sego	9088	9118	9071	9122		
TD	9290	9321	9275	9326		
ANTICIPATED BHP (PSI)	50	72	50	64		

- 1. Fresh Waters may exist in the upper, approximately 1,000 ft \pm of the Green River Formation, with top at about 1,500 ft \pm .
- 2. Cement to be installed to surface of the well isolating all zones.



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

3. PRESSURE CONTROL EQUIPMENT:

Production Hole – 5000 Psig BOP schematic diagrams attached.

4. CASING PROGRAM:

Casing	Hole Size	Length	Size	Weight	Grade	Thread	Rating Collapse	Rating Burst	Tensile
Conductor	20"	0 – 60'	14"	32.5#	A252			1800 PSI	10,000#
Surface	12 1/4"	0 – 2,250'± MD	9 5/8"	36.0#	J-55	STC	2020 PSI	3520 PSI	394,000#
Production	7 7/8"	Surface – MTD	4 ½"	11.6#	N-80	LTC	6350 PSI	7780 PSI	223,000#

Note: 12 1/4" surface hole will be drilled to a total depth of 200'± below the base of the Green River lost circulation zone and cased w/9-5/4" as shown to that depth. Drilled depth may be shallower or deeper than the 2250' MD shown above depending on the actual depth of the loss zone.

All casing will be new or inspected.

5. FLOAT EQUIPMENT:

Surface Casing (0'- ±2250' MD):

Guide Shoe

Insert Float Collar (PDC drillable)

Centralizers: 1 in middle of shoe joint, then top of every joint for next 7 joints, 2 at KOP. (10 total)

Production Casing (0' – MTD):

Float shoe, 1 joint casing, float collar and balance of casing to surface. 4-½", 11.6#, N-80 or equivalent marker collars or short casing joints to be placed at top of Price River and 400' above top of Wasatch. Turbulizers to be placed 5' above shoe on joint #1, middle of joint #2 and #3. Centralizers starting on joint #4 and every 3rd joint to 400' above the top of primary objective. Thread lock float shoe, top and bottom of float collar, and top of 2nd joint.



DRILLING PLAN MULTI-WELL PAD: CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

6. MUD PROGRAM

Surface Hole Procedure (Surface - 2250'± MD):

Air/Air mist/Aerated water* (*A standby water source will be available at all times to act as a kill medium when conducting air drilling operations)

or

A closed-loop system utilizing a gelled bentonite mud will be employed. LCM sweeps, additions, etc. will be used as necessary.

Production Hole Procedure (2250'± - MTD):

Anticipated mud weight 9.5-10.5 ppg depending on actual wellbore conditions encountered while drilling.

A closed mud system will be utilized. A bentonite gelled water mud system will be used to control viscosity w/PHPA polymer used for supplemental viscosity and clay encapsulation/inhibition. Water loss will be maintained at <15cc's using white starch or PAC. Bactericides will be used as needed. Anticipated pH will range from 9.0-10.0. Mud weight will be adjusted as necessary for well control. Deflocculants/thinners will be used as necessary to maintain mud quality. LCM sweeps will be utilized as necessary to control lost circulation and mud loss. CO2 contamination, if encountered, will be treated with lime and gypsum.

7. VARIANCE REQUESTS:

Reference: Onshore Oil and Gas Order No. 1
Onshore Oil and Gas Order No. 2 – Section E: Special Drilling Operations

- EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line to be 100' in length. (Where possible, a straight run blooie line will be used).
- EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be approximately 75' in length.
- EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring dedusting equipment. Dust during air drilling operations is controlled by water mist.
- o EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring an automatic igniter or continuous pilot light on the blooie line. (Not required on aerated water system).



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

 EOG Resources, Inc. requests a variance that compressors are located in the opposite direction from the blooie line a minimum of 100 feet from the well bore. (Air Compressors are rig mounted).

8. EVALUATION PROGRAM:

Open-hole Logs: None

Cased-hole Logs: Cased-hole logs will be run in lieu of open-hole logs consisting of the following:

Cement Bond / Casing Collar Locator and Gamma Ray

9. CEMENT PROGRAM:

Surface Casing (0'- ±2250' MD):

Lead: Lead volume to be calculated to bring cement from 500' above casing shoe to surface. Lead cement will be:

135 sx. HES VariCem (Type III) + 2% Cal-Seal (Thixotropic Additive) + 0.3% Versaset

(Thixotropic Additive) + 2% Econolite (Light Weight Additive), mixed at 10.5 ppg,

4.10 cfps, 26.88 gps fresh water

Tail: Tail volume to be calculated to bring cement 500' above casing shoe. Tail cement will be:

135 sx. HES HalCem (Type V) + 2% CaCl₂ (Accelerator), mixed at 15.6 ppg, 1.18 cfps, 5.05 gps

fresh water

Top Out: As necessary with:

HES HalCem (Type V) + 2% CaCl₂ (Accelerator), mixed at 15.6 ppg, 1.18 cfps, 5.05 gps

fresh water

Note: The above number of sacks are calculated based on gauge hole. Final field cement volumes will be based on gauge hole plus 70% excess on the lead slurry and gauge hole plus 100% excess on the tail slurry.



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

Production Casing (0' – MTD):

Lead: Lead volume to be calculated to bring cement from 400' above top of Wasatch Formation to 200'± above 9 5/8" surface casing shoe @ ±2250' MD. For improved mud displacement, lead slurry weight will be a minimum of 0.5 ppg over mud weight utilized at well MTD and vary from 11.0 – 13.0 ppg.

If lead slurry weight required is 11.0 ppg – 12.5 ppg, cement will be:

HES Highbond 75 (75/25 Poz/G) + 6% Bentonite (Extender) + 0.3% Versaset (Thixotropic Additive) + 2% Microbond (Expansion Additive)

Calculated sacks with corresponding mixed slurry weights, yields and water requirements for above cement will be as follows:

- 210 sx. if 11.0 ppg, 2.52 cfps, 14.96 gps fresh water
- 250 sx. if 11.5 ppg, 2.12 cfps, 11.98 gps fresh water
- 290 sx. if 12.0 ppg, 1.83 cfps, 9.82 gps fresh water
- 330 sx. if 12.5 ppg, 1.61 cfps, 8.17 gps fresh water

If lead slurry weight required is 13.0 ppg, cement will be:

325 sx. HES ExtendaCem (50/50 Poz/G) + 0.125 pps Pol-E-Flake (Lost Circulation Additive), mixed at 13.0 ppg, 1.63 cfps, 8.16 gps fresh water

Tail: Tail volume to be calculated to bring cement from MTD to 400' above top of Wasatch Formation. Tail cement will be:

810 sx. HES ExtendaCem (50/50 Poz/G) + 0.125 pps Pol-E-Flake (Lost Circulation Additive), mixed at 13.5 ppg, 1.47 cfps, 6.98 gps fresh water

Note: The above number of sacks in all cases are calculated based on gauge hole. Final field cement volumes will be based on gauge hole plus 50% excess on the lead slurry and gauge hole plus 70% excess on the tail slurry.

10. ABNORMAL CONDITIONS:

Surface Hole (Surface - 2250'± MD):

Lost circulation

Production Hole (2250'± - MTD):

Sloughing shales, lost circulation and key seat development are possible in the Wasatch Formation.



DRILLING PLAN MULTI-WELL PAD: CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Upper and Lower Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring


12. <u>HAZARDOUS CHEMICALS:</u>

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


13. Air Drilling Operations:


- 1. Main Air Compressors are 1250 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 2. Secondary Air Compressors are 1170 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 3. Minimum setting depth of conductor casing will be 60' GL or 10'± into competent formation, whichever is deeper, as determined by the EOG person in charge. Exceptions must be approved by an EOG drilling superintendent or manager.
- 4. The diameter of the diverter flow line will be a minimum of 10" to help reduce back pressure on the well bore during uncontrolled flow.
- 5. Rat and Mouse hole drilling will occur only after surface casing has been set and cemented.
- 6. EOG Resources, Inc. will use a properly maintained and lubricated stripper head.


(Attachment: BOP Schematic Diagram)



RECEIVED: November 03, 2011









CWU 1580-25D, CWU 1581-25D, CWU 1582-25D CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25 T9S, R22E, S.L.B. & M. UINTAH COUNTY, UTAH





Denver Division - Utah

T9S-R22E Sec 25 CWU 1580-1585-25D (CWU 897-25, CWU 495-25N_Set 18) 1583-25D

Wellbore #1

Plan: APD Plan

Standard Planning Report

21 September, 2011

EOG Resources Inc

Planning Report

Database: EDM Company:

Denver Division - Utah

Project:

Well:

T9S-R22E Sec 25

Site:

CWU 1580-1585-25D (CWU 897-25, CWU

495-25N_Set 18) 1583-25D

Wellbore: Design:

Wellbore #1 APD Plan

Local Co-ordinate Reference:

Survey Calculation Method:

TVD Reference: MD Reference:

North Reference:

Well 1583-25D

RIG @ 5097.00ft (TRUE 34 KB=19') RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

T9S-R22E Sec 25 **Project**

Map System:

Map Zone:

US State Plane 1927 (Exact solution)

NAD 1927 (NADCON CONUS) Geo Datum:

Utah North 4301

System Datum:

Mean Sea Level

CWU 1580-1585-25D (CWU 897-25, CWU 495-25N_Set 18) Site

Site Position: From:

Lat/Long

Northing: Easting:

-111,180.43ft 2,590,354.15ft

Latitude: Longitude:

40° 0' 30.708 N 109° 23' 34.098 W

Position Uncertainty:

0.00 ft

Slot Radius:

Grid Convergence:

1.39 deg

Well 1583-25D

Well Position

+N/-S -45.19 ft +E/-W -13.45 ft

Northing: Easting:

-111,225.93 ft 2,590,341.80 ft Latitude: Longitude:

40° 0' 30.261 N 109° 23' 34.271 W

Position Uncertainty

0.00 ft

Wellhead Elevation:

ft

Ground Level:

5,078.00 ft

Wellbore

Wellbore #1

APD Plan

Magnetics	Model Name	Sample Date	Declination (deg)	Dip Angle (deg)	Field Strength (nT)
	IGRF200510	12/31/2009	11.20	65.94	52,523

Design

Audit Notes:

Version:

Phase:

PROTOTYPE

Tie On Depth:

0.00

Vertical Section: Depth From (TVD) +N/-S +E/-W Direction (ft) (ft) (ft) (deg) 0.00 0.00 0.00 259.82

Plan Section	s									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)	TFO (deg)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,300.00	18.00	259.82	1,285.27	-24.79	-138.01	2.00	2.00	0.00	259.82	
3,302.50	18.00	259.82	3,189.76	-134.17	-747.07	0.00	0.00	0.00	0.00	
4,502.51	0.00	0.00	4,370.12	-167.21	-931.08	1.50	-1.50	0.00	180.00	
9,442.38	0.00	0.00	9,310.00	-167.21	-931.08	0.00	0.00	0.00	0.00	CWU 1583-25D

EOG Resources Inc

Planning Report

Database: EDM Company:

Denver Division - Utah

Project:

Well:

T9S-R22E Sec 25

CWU 1580-1585-25D (CWU 897-25, CWU Site:

Wellbore: Design:

495-25N_Set 18) 1583-25D

Wellbore #1 APD Plan

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

Survey Calculation Method:

Well 1583-25D

RIG @ 5097.00ft (TRUE 34 KB=19')

RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

Design.									
Planned Survey									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	2.00	259.82	499.98	-0.31	-1.72	1.75	2.00	2.00	0.00
600.00	4.00	259.82	599.84	-1.24	-6.87	6.98	2.00	2.00	0.00
700.00	6.00	259.82	699.45	-2.78	-15.45	15.69	2.00	2.00	0.00
800.00	8.00	259.82	798.70	-4.93	-27.44	27.88	2.00	2.00	0.00
900.00	10.00	259.82	897.47	-7.70	-42.84	43.52	2.00	2.00	0.00
1,000.00	12.00	259.82	995.62	-11.07	-61.62	62.60	2.00	2.00	0.00
1,100.00	14.00	259.82	1,093.06	-15.05	-83.76	85.10	2.00	2.00	0.00
1,200.00	16.00	259.82	1,189.64	-19.62	-109.23	110.98	2.00	2.00	0.00
1,300.00	18.00	259.82	1,285.27	-24.79	-138.01	140.21	2.00	2.00	0.00
1,400.00	18.00	259.82	1,380.37	-30.25	-168.42	171.11	0.00	0.00	0.00
1,500.00	18.00	259.82	1,475.48	-35.71	-198.84	202.02	0.00	0.00	0.00
1,600.00	18.00	259.82	1,570.59	-41.17	-229.25	232.92	0.00	0.00	0.00
1,700.00	18.00	259.82	1,665.69	-46.64	-259.67	263.82	0.00	0.00	0.00
1,800.00	18.00	259.82	1,760.80	-52.10	-290.08	294.72	0.00	0.00	0.00
1,900.00	18.00	259.82	1,855.90	-57.56	-320.50	325.62	0.00	0.00	0.00
2,000.00	18.00	259.82	1,951.01	-63.02	-350.91	356.52	0.00	0.00	0.00
2,100.00	18.00	259.82	2,046.11	-68.48	-381.33	387.43	0.00	0.00	0.00
2,200.00	18.00	259.82	2,141.22	-73.95	-411.74	418.33	0.00	0.00	0.00
2,300.00	18.00	259.82	2,236.33	-79.41	-442.16	449.23	0.00	0.00	0.00
2,400.00	18.00	259.82	2,331.43	-84.87	-472.57	480.13	0.00	0.00	0.00
2,500.00	18.00	259.82	2,426.54	-90.33	-502.99	511.03	0.00	0.00	0.00
2,600.00	18.00	259.82	2,521.64	-95.79	-533.40	541.93	0.00	0.00	0.00
2,700.00	18.00	259.82	2,616.75	-101.26	-563.82	572.84	0.00	0.00	0.00
2,800.00	18.00	259.82	2,711.85	-106.72	-594.23	603.74	0.00	0.00	0.00
2,900.00	18.00	259.82	2,806.96	-112.18	-624.65	634.64	0.00	0.00	0.00
3,000.00	18.00	259.82	2,902.06	-117.64	-655.06	665.54	0.00	0.00	0.00
3,100.00	18.00	259.82	2,997.17	-123.10	-685.48	696.44	0.00	0.00	0.00
3,200.00	18.00	259.82	3,092.28	-128.57	-715.89	727.34	0.00	0.00	0.00
3,300.00	18.00	259.82	3,187.38	-134.03	-746.31	758.25	0.00	0.00	0.00
3,302.50	18.00	259.82	3,189.76	-134.17	-747.07	759.02	0.00	0.00	0.00
3,400.00	16.54	259.82	3,282.86	-139.28	-775.55	787.96	1.50	-1.50	0.00
3,500.00	15.04	259.82	3,379.09	-144.09	-802.33	815.17	1.50	-1.50	0.00
3,600.00	13.54	259.82	3,475.99	-148.45	-826.62	839.85	1.50	-1.50	0.00
3,700.00	12.04	259.82	3,573.51	-152.36	-848.41	861.98	1.50	-1.50	0.00
3,800.00	10.54	259.82	3,671.57	-155.82	-867.67	881.55	1.50	-1.50	0.00
3,900.00	9.04	259.82	3,770.11	-158.83	-884.40	898.55	1.50	-1.50	0.00
4,000.00	7.54	259.82	3,869.07	-161.38	-898.59	912.96	1.50	-1.50	0.00
4,100.00	6.04	259.82	3,968.36	-163.46	-910.22	924.78	1.50	-1.50	0.00
4,200.00	4.54	259.82	4,067.93	-165.09	-919.29	934.00	1.50	-1.50	0.00
4,300.00	3.04	259.82	4,167.71	-166.26	-925.79	940.60	1.50	-1.50	0.00
4,400.00	1.54	259.82	4,267.63	-166.97	-929.72	944.60	1.50	-1.50	0.00
4,500.00	0.04	259.82	4,367.62	-167.21	-931.08	945.97	1.50	-1.50	0.00
4,502.51	0.00	0.00	4,370.12	-167.21	-931.08	945.97	1.50	-1.50	0.00
4,600.00	0.00	0.00	4,467.62	-167.21	-931.08	945.97	0.00	0.00	0.00
4,700.00	0.00	0.00	4,567.62	-167.21	-931.08	945.97	0.00	0.00	0.00
4,800.00	0.00	0.00	4,667.62	-167.21	-931.08	945.97	0.00	0.00	0.00
4,900.00	0.00	0.00	4,767.62	-167.21	-931.08	945.97	0.00	0.00	0.00
5,000.00	0.00	0.00	4,867.62	-167.21	-931.08	945.97	0.00	0.00	0.00

EOG Resources Inc

Planning Report

Database: Company:

EDM

Denver Division - Utah

Project:

T9S-R22E Sec 25

CWU 1580-1585-25D (CWU 897-25, CWU Site:

495-25N_Set 18)

Well: 1583-25D Wellbore #1 Wellbore: APD Plan Docian

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

Survey Calculation Method:

Well 1583-25D

RIG @ 5097.00ft (TRUE 34 KB=19')

RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

Design:	APD Plan								
Planned Survey									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)
5,100.00	0.00	0.00	4,967.62	-167.21	-931.08	945.97	0.00	0.00	0.00
5,200.00	0.00	0.00	5,067.62	-167.21	-931.08	945.97	0.00	0.00	0.00
5,300.00 5,400.00 5,500.00 5,600.00 5,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	5,167.62 5,267.62 5,367.62 5,467.62 5,567.62	-167.21 -167.21 -167.21 -167.21 -167.21	-931.08 -931.08 -931.08 -931.08	945.97 945.97 945.97 945.97 945.97	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
5,800.00	0.00	0.00	5,667.62	-167.21	-931.08	945.97	0.00	0.00	0.00
5,900.00	0.00	0.00	5,767.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,000.00	0.00	0.00	5,867.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,100.00	0.00	0.00	5,967.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,200.00	0.00	0.00	6,067.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,300.00	0.00	0.00	6,167.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,400.00	0.00	0.00	6,267.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,500.00	0.00	0.00	6,367.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,600.00	0.00	0.00	6,467.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,700.00	0.00	0.00	6,567.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,800.00	0.00	0.00	6,667.62	-167.21	-931.08	945.97	0.00	0.00	0.00
6,900.00	0.00	0.00	6,767.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,000.00	0.00	0.00	6,867.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,100.00	0.00	0.00	6,967.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,200.00	0.00	0.00	7,067.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,300.00	0.00	0.00	7,167.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,400.00	0.00	0.00	7,267.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,500.00	0.00	0.00	7,367.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,600.00	0.00	0.00	7,467.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,700.00	0.00	0.00	7,567.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,800.00	0.00	0.00	7,667.62	-167.21	-931.08	945.97	0.00	0.00	0.00
7,900.00	0.00	0.00	7,767.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,000.00	0.00	0.00	7,867.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,100.00	0.00	0.00	7,967.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,200.00	0.00	0.00	8,067.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,300.00	0.00	0.00	8,167.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,400.00	0.00	0.00	8,267.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,500.00	0.00	0.00	8,367.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,600.00	0.00	0.00	8,467.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,700.00	0.00	0.00	8,567.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,800.00	0.00	0.00	8,667.62	-167.21	-931.08	945.97	0.00	0.00	0.00
8,900.00	0.00	0.00	8,767.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,000.00	0.00	0.00	8,867.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,100.00	0.00	0.00	8,967.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,200.00	0.00	0.00	9,067.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,300.00	0.00	0.00	9,167.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,400.00	0.00	0.00	9,267.62	-167.21	-931.08	945.97	0.00	0.00	0.00
9,442.38	0.00	0.00	9,310.00	-167.21	-931.08	945.97	0.00	0.00	0.00
CWU 1583-		2.30	-,				2.20	2.30	

EOG Resources Inc

Planning Report

EDM Database:

Company: Denver Division - Utah

Project: T9S-R22E Sec 25 Site:

CWU 1580-1585-25D (CWU 897-25, CWU

0.00 9,310.00

495-25N_Set 18)

0.00

Well: 1583-25D Wellbore: Wellbore #1 Design: APD Plan

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

Survey Calculation Method:

-111,415.67

Well 1583-25D

RIG @ 5097.00ft (TRUE 34 KB=19') RIG @ 5097.00ft (TRUE 34 KB=19')

40° 0' 28.609 N 109° 23' 46.234 W

2,589,415.06

Minimum Curvature

Design Targets

CWU 1583-25D

Target Name

- hit/miss target TVD +N/-S +E/-W Northing **Dip Angle** Dip Dir. **Easting** - Shape (deg) (deg) (ft) (ft) (ft) (ft) (ft) Longitude Latitude

-931.08

-167.21

plan hits target centerCircle (radius 50.00)



Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D SW/NW, Section 25, T9S, R22E Uintah County, Utah

SURFACE USE PLAN

The well pad is approximately 400 feet long with a 245-foot width, containing 2.25 acres more or less. New surface disturbance associated with the well pad is estimated to be approximately 2.26 acres.

1. EXISTING ROADS:

- A. See attached Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 51.3 miles south of Vernal, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary.

2. PLANNED ACCESS ROAD:

- A. No new access road will be required; existing access road for the Chapita Wells Unit 897-25 and Chapita Wells Unit 495-25 will be utilized. See attached Topo B.
- B. No turnouts will be required.
- C. No bridges, or major cuts and fills will be required.
- D. No gates, cattleguards, or fences will be required or encountered.
- E. No additional storage areas will be needed for storing equipment, stockpiling, or vehicle parking.

All travel will be confined to existing access road rights-of-way.

New or reconstructed roads will be centerlined – flagged at time of location staking.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 2

for Oil and Gas Exploration and Development, Fourth Edition and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction.

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed, safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30-foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the roadbed block the drainages. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around then avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

Traveling off the 30-foot right-of-way will not be allowed. The access road and associated drainage structures will be constructed and maintained in accordance with road guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition, and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction. During the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and drainage ditches and culverts will be kept clear and free flowing.

3. LOCATION OF EXISTING WELLS WITHIN A ONE-MILE RADIUS:

See attached TOPO map "C" for the location of wells within a one-mile radius.

4. LOCATION OF EXISTING AND/OR PROPOSED PRODUCTION FACILITIES:

A. On Well Pad

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, four to six (4-6) 400-bbl vertical tanks and attaching piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. Off Well Pad

- 1. Proposed pipeline will transport natural gas.
- 2. The pipeline will be a permanent feeder line.
- 3. No off well pad pipeline will be required. The existing pipeline for producing Chapita Wells Unit 897-25 and Chapita Wells Unit 495-25 will be used.

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 3

- 4. Proposed pipeline will be a 4" OD steel, zap-lok line laid on the surface
- 5. Proposed pipeline will be laid on surface.
- 6. Pipeline will be coupled using the Zap lock method. No additional off-pad facilities will be required.

Containment berms will be constructed completely around production facilities designed to hold fluids (i.e., production tanks, produced water tanks, and/or heater/treater). The containment berms will be constructed of compacted subsoil, be sufficiently impervious, hold 110 percent of the capacity of the largest tank, and be independent of the back cut.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. All facilities will be painted with Carlsbad Canyon. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

5. LOCATION AND TYPE OF WATER SUPPLY:

- A. Water supply will be from Ouray Municipal Water Plant at Ouray, Utah, and/or Bonanza Power Plant water source in Sec 26, T8S, R23E, Uintah County, UT (State Water Right # 49-225(A31368)). Water will be hauled by a licensed trucking company.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. Source of Construction Materials:

- A. All construction material for this pipeline will be of native borrow and soil accumulated during the construction of the location.
- B. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL:

A. METHODS AND LOCATION

- 1. Cuttings will be confined and dried in a cuttings pit. Dried cuttings shall be spread on the access road.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
- 4. Produced wastewater will be confined to a storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, CWU 550-30N SWD CWU 2-29 SWD, Red Wash Evaporation Ponds 1, 2, 3, 4, 5, 6, or 7, or Coyote Evaporation Ponds 1, 2, 3, or 4, or White River Evaporation ponds 1, or 2, or Hoss SWD Facility: right-of-way UTU 86010, and UTU 897093, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either natural or artificial evaporation methods, or removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the closed loop system will be avoided by flaring them off in the flare pit at the time of recovery.

The referenced well will be drilled utilizing a closed loop system. The closed loop system will be installed in a manner that prevents leaks, breaks, or discharge. Drill cutting will be contained in an area approximately 50' x 100'. The surface drill cuttings pile will be bermed and lined with bentonite. Drill cuttings will be dried and spread on the location and access road. More stringent protective requirements may be deemed necessary by the A.O.

EOG Resources, Inc. maintains a file, per 29 CFR 1910.1200 (g) containing current Material Safety Data Sheets (MSDS) for all chemicals, compounds, and/or substances which are used during the course of construction, drilling, completion, and production operations for this project. Hazardous materials (substances) which may be found at the site may include drilling mud and cementing products which are primarily inhalation hazards, fuels (flammable and/or combustible), materials that may be necessary for well completion/stimulation activities such as flammable or combustible substances and acids/gels (corrosives). The opportunity for Superfund Amendments and Reauthorization Act (SARA) listed Extremely Hazardous Substances (EHS) at the site is generally limited to proprietary treating chemicals. All hazardous and EHS and

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 5

commercial preparations will be handled in an appropriate manner to minimize the potential for leaks or spills to the environment.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.

8. Ancillary Facilities:

None anticipated.

9. WELL SITE LAYOUT:

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The proposed location will be drilled utilizing a closed loop system.

The stockpiled location topsoil will be stored in a location providing easy access for interim reclamation and protection of the topsoil. Upon completion of construction, the stockpiled topsoil from the location will be seeded with the approved seed mixture from this.

Access to the well pad will be from the South.

The Northwest and southwest corners of the well pad will be rounded off to minimize excavation.

10. PLANS FOR RECLAMATION OF THE SURFACE:

A. Interim Reclamation (Producing Location)

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The portion of the location not needed for production facilities/operations will be reclaimed – See attached Figure #3.

The stockpiled topsoil will then be spread over closed loop area (See Figure #4) and broadcast seeded with the prescribed seed mixture for this location as authorized within EOG's reclamation plan filed September 29, 2009.

B. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP:

Surface ownership of the proposed well site, access road, and pipeline route is as follows:

Bureau of Land Management

12. OTHER INFORMATION:

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the Authorized Officer. Within five working days the Authorized Officer will inform the operator as to:
 - Whether the materials appear eligible for the National Register of Historic Places;
 - The mitigation measures the operator will likely have to undertake before the site can be used.

 A time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application or herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)
- D. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice of Lessees. The operator is fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Construction activity will not be conducted using frozen or saturated soils material or during periods when watershed damage is likely to occur.

If the existing access road, proposed access road, and proposed pad are dry during construction, drilling, and completion activities, water will be applied, as needed, to help facilitate compaction during construction and to minimize soil loss as a result of wind erosion.

A block cultural resources survey was conducted and submitted by Montgomery Archaeological Consultants, State of Utah Antiquities Permit No. U-07-MQ-0200b, on April 14, 2007. A paleontological survey was conducted and submitted by Intermountain Paleo,

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 8

IPC Report # 11-121, on August 25, 2011. A Uintah Basin Hookless Cactus (Sclearochactus Wetlandicus) survey was conducted and will be submitted by Graslands.

Additional Surface Stipulations:

None

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 9

LESSEE OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION:

PERMITTING AGENT

Nanette Lupcho EOG Resources, Inc. 1060 East Highway 40 Vernal, UT 84078 (435) 781-9111

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

The operator or his/her contractor shall contact the BLM office at (435) 781-4400 forty-eight (48) hours prior to construction activities.

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 10


CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Please be advised that EOG Resources, Inc. is considered to be the operator of the Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Wells, located in the SW/NW, of Section 25, T9S, R22E, Uintah County, Utah; Federal land and minerals; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is under Bond # NM 2308.

November 28, 2011	
Date	Nanette Lupcho Regulatory Assistant


Onsite Date: September 28, 2011



PAGE 1 OF 2

EOG RESOURCES CHOKE MANIFOLD CONFIGURATION W/ 5,000 PSI WP VALVES

PAGE 2 0F 2



Testing Procedure:

- 1. BOP will be tested with a professional tester to conform to Onshore Order #2.
- 2. Blind and Pipe rams will be tested to rated working pressure, 5,000 psi.
- 3. Annular Preventer will be tested to 50% working pressure, 2,500 psi. Casing will be tested to 0.22 psi / ft. or 1,500 psi. Not to exceed 70% of burst strength, whichever is greater.
- 4. All lines subject to well pressure will be tested to the same pressure as blind and pipe rams.
- 5. All BOPE specifications and configurations will meet Onshore Order #2 requirements.

EOG RESOURCES, INC. CWU #1580-25D, #1581-25D,

#1582-25D, #1583-25D, #1584-25D, & #1585-25D LOCATED IN UINTAH COUNTY, UTAH




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKES

CAMERA ANGLE: SOUTHEASTERLY





PHOTO: VIEW OF EXISTING ACCESS


CAMERA ANGLE: NORTHEASTERLY




LOCATION	PHOTOS	09 MONTH	21 DAY	10 YEAR	РНОТО
TAKEN BY: C.R.	. REV	ISED: 0	0-00-00		










EOG RESOURCES, INC.

CWU #1580-25D, #1581-25D, #1582-25D, #1583-25D, #1584-25D, & #1585-25D SECTION 25, T9S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88: EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED SOUTHWESTERLY. THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH: PROCEED IN A SOUTHERLY. THEN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 51.3 MILES.

RECEIVED: November 03, 2011



API Well Number: 43047521580000

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

November 4, 2011

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2011 Plan of Development Chapita Wells Unit

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2011 within the Chapita Wells Unit, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ MESA VERDE)

PAD SENE 26

43-047-52134 CWU 1573-26D Sec 26 T09S R22E 1987 FNL 0341 FEL BHL Sec 26 T09S R22E 1860 FNL 1318 FEL 43-047-52135 CWU 1574-26D Sec 26 T09S R22E 1980 FNL 0335 FEL BHL Sec 26 T09S R22E 1873 FNL 0676 FEL 43-047-52136 CWU 1575-26D Sec 26 T09S R22E 1958 FNL 0315 FEL BHL Sec 26 T09S R22E 1563 FNL 0979 FEL 43-047-52137 CWU 1576-26D Sec 26 T09S R22E 1943 FNL 0301 FEL BHL Sec 26 T09S R22E 1566 FNL 0322 FEL 43-047-52138 CWU 1577-26D Sec 26 T09S R22E 1950 FNL 0308 FEL BHL Sec 25 T09S R22E 1933 FNL 0014 FWL 43-047-52139 CWU 1578-26D Sec 26 T09S R22E 1972 FNL 0328 FEL BHL Sec 26 T09S R22E 2228 FNL 0309 FEL 43-047-52140 CWU 1579-26D Sec 26 T09S R22E 1965 FNL 0321 FEL BHL Sec 26 T09S R22E 2529 FNL 0033 FEL PAD NWNE 26 43-047-52141 CWU 1567-26D Sec 26 T09S R22E 0331 FNL 2103 FEL BHL Sec 26 T09S R22E 0611 FNL 1794 FEL 43-047-52142 CWU 1568-26D Sec 26 T09S R22E 0340 FNL 2100 FEL BHL Sec 26 T09S R22E 0894 FNL 2030 FEL

Page 2

API#	W				LOC	CATION						
(Proposed PZ	MESA	A VERDE)										
PAD NWNE 26 43-047-52143	CWU					R22E R22E						
43-047-52144	CWU					R22E R22E						
43-047-52145	CWU					R22E R22E						
43-047-52146	CWU					R22E R22E						
PAD NWNE(2)2	6											
43-047-52147	CWU					R22E R22E						
43-047-52148	CWU					R22E R22E						
43-047-52149	CWU					R22E R22E						
43-047-52150	CWU					R22E R22E						
43-047-52152	CWU					R22E R22E						
PAD SWNW 25												
43-047-52155	CWU					R22E R22E						
43-047-52156	CWU					R22E R22E						
43-047-52157	CWU					R22E R22E						
43-047-52158	CWU					R22E R22E						
43-047-52159	CWU					R22E R22E						
43-047-52160	CWU					R22E R22E						
This offictime.	e ha	as no ob	ject	cio	n to	perr	nitti	ng	the	wells	at	this



API Well Number: 43047521580000

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:11-4-11

API Well Number: 43047521580000

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 11/3/2011 API NO. ASSIGNED: 43047521580000

WELL NAME: Chapita Wells Unit 1583-25D **OPERATOR:** EOG Resources, Inc. (N9550)

CONTACT: Nanette Lupcho

PROPOSED LOCATION: SWNW 25 090S 220E **Permit Tech Review:**

> **SURFACE: 2143 FNL 1177 FWL Engineering Review:**

BOTTOM: 2306 FNL 0246 FWL Geology Review:

COUNTY: UINTAH

LATITUDE: 40.00840 **LONGITUDE:** -109.39350 UTM SURF EASTINGS: 637117.00 NORTHINGS: 4429926.00

FIELD NAME: NATURAL BUTTES **LEASE TYPE:** 1 - Federal

LEASE NUMBER: UTU0285A PROPOSED PRODUCING FORMATION(S): MESA VERDE

SURFACE OWNER: 1 - Federal **COALBED METHANE: NO**

RECEIVED AND/OR REVIEWED: LOCATION AND SITING:

 PLAT R649-2-3.

Unit: CHAPITA WELLS Bond: FEDERAL - NM2308

Potash R649-3-2. General

✓ Oil Shale 190-5

Oil Shale 190-3 R649-3-3. Exception

Oil Shale 190-13 **Drilling Unit**

Board Cause No: Cause 179-08 Water Permit: 49-225

Effective Date: 8/10/1999 **RDCC Review:**

Siting: Suspends General Siting **Fee Surface Agreement**

Intent to Commingle ▼ R649-3-11. Directional Drill

Commingling Approved


Comments: Presite Completed

Stipulations:

4 - Federal Approval - dmason 15 - Directional - dmason 17 - Oil Shale 190-5(b) - dmason

PHONE NUMBER: 435 781-9157

API Well No: 43047521580000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Chapita Wells Unit 1583-25D

API Well Number: 43047521580000 Lease Number: UTU0285A

Surface Owner: FEDERAL Approval Date: 11/21/2011

Issued to:

EOG Resources, Inc., 1060 East Highway 40, Vernal, UT 84078

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 179-08. The expected producing formation or pool is the MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

In accordance with the Order in Cause No. 190-5(b) dated October 28, 1982, the operator shall comply with the requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operators shall ensure that the surface and or production casing is properly cemented over the entire oil shale section as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the division.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

API Well No: 43047521580000

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Form 3160-3 (August 2007)

PECEME

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT** NOV 0 2 2011

FORM APPROVED OMB No. 1004-0136 Expires July 31, 2010

5. Lease Serial No. UTU0285A

	AZI BANAL LINIA I E EFALI					
APPLICATION FOR PERMIT	6. If Indian, Allottee or Tribe Name	2				
1a. Type of Work: ☑ DRILL ☐ REENTER		7. If Unit or CA Agreement, Name CHAPITA WELLS UNI	and No.			
1b. Type of Well: ☐ Oil Well ☐ Oth		Lease Name and Well No. CHAPITA WELLS UNIT 1583	-25D			
EOG RESOURCES, INC E-Mail: nanette	NANETTE H LUPCHO lupcho@eogresources.com	9. API Well No. 43-047-5218	8			
3a. Address 1060 EAST HWY 40 VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435-781-9157	10. Field and Pool, or Exploratory NATURAL BUTTES				
4. Location of Well (Report location clearly and in accorda	nce with any State requirements.*)	11. Sec., T., R., M., or Blk. and Survey or Area				
At surface SWNW 2143FNL 1177FWI	L 40.008372 N Lat, 109.393533 W Lon	Sec 25 T9S R22E Mer SLI	3			
At proposed prod. zone SWNW 2306FNL 246FWL	40.007914 N Lat, 109.396856 W Lon					
 Distance in miles and direction from nearest town or post of 51.3 MILES SOUTH OF VERNAL, UT 	office*	12. County or Parish UINTAH	13. State UT			
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 246' 16. No. of Acres in Lease 17. Spacing Unit dedicated to this well 1800.00						
 Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. 500' 	19. Proposed Depth 9442 MD 9310 TVD	20. BLM/BIA Bond No. on file NM2308				

24. Attachments

22. Approximate date work will start

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

Office

1. Well plat certified by a registered surveyor.

21. Elevations (Show whether DF, KB, RT, GL, etc.

5079 GL

A Drilling Plan.
A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office).

Assistant Field Manager

Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).

Operator certification

23. Estimated duration

45 DAYS

- Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature (Electronic Submission)	Name (Printed/Typed) NANETTE H LUPCHO Ph: 435-781-9157	Date 11/01/2011
Title REGULATORY ASSISTANT		
Approved by (Signature)	Name (Printed/Typed) Jerry Kenczka	APR 0 4 2012

VERNAL FIELD OFFICE Lands & Mineral Resources Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct

JONDITIONS OF APPROVAL ATTACHED Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

RECEIVED

Electronic Submission #121881 verified by the BLM Well Information System For EOG RESOURCES, INC, sent to the Vernal

NOTICE OF APPROVAL

DIV. OF OIL, GAS & MINING

APR 1 1 2012

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

91.-/- 11

IIPWA nove At



UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No:

EOG Resources, Inc.

170 South 500 East

Well No:

CWU 1583-25D 43-047-52158 Location: Lease No:

Agreement:

SWNW, Sec. 25, T9S, R22E

UTU-0285A

Chapita Wells Unit

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER:

(435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

Location Construction (Notify Environmental Scientist)	-	Forty-Eight (48) hours prior to construction of location and access roads.				
Location Completion (Notify Environmental Scientist)	-	Prior to moving on the drilling rig.				
Spud Notice (Notify Petroleum Engineer)	-	Twenty-Four (24) hours prior to spudding the well.				
Casing String & Cementing (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov				
BOP & Related Equipment Tests (Notify Supv. Petroleum Tech.)	-	Twenty-Four (24) hours prior to initiating pressure tests.				
First Production Notice (Notify Petroleum Engineer)	-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.				

Page 2 of 6 Well: CWU 1583-25D 3/29/2012

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop work and contact the Authorized Officer (AO). A determination will be made by the AO as to what mitigation may be necessary for the discovered paleontologic material before construction can continue.
- The borrow area near corner six will be minimized as much as possible in order to limit disturbance.

Page 3 of 6 Well: CWU 1583-25D 3/29/2012

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- Cement for the surface casing shall be circulated to surface and/or topped off
- Gamma ray Log shall be run from Total Depth to Surface.
- Cement for the production casing must be brought to at least 200' above the surface casing shoe.

Variances Granted: Air Drilling

- Properly lubricated and maintained rotating head. Variance granted to use a properly maintained and lubricated diverter bowl in place of a rotating head.
- Blooie line discharge 100' from the well bore. Variances granted for blooie line discharge to be 75' from the well bore and may not be straight.
- Compressors located in the opposite direction from the blooie line a minimum of 100' from the well bore. Variance granted for rig mounted air compressors located within 40' of the well.
- In lieu of mud products on location, operator will have sufficient water on location for the mud kill medium during air drilling operations.
- Automatic igniter. Variance granted for igniter, a diffuser will be used instead. Operator will mount a
 deflector at the end of the blooie line to change direction and reduce the velocity of the cuttings flow
 to the reserve pit.
- De-dusting Equipment. Variance granted, dust controlled by water mist during air drilling operations.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or

Page 4 of 6 Well: CWU 1583-25D 3/29/2012

abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.

- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily
 drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order
 No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a
 test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's
 log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM,
 Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to BLM_UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: CWU 1583-25D 3/29/2012

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written communication
 and must be received in this office by not later than the fifth business day following the date on
 which the well is placed on production. The notification shall provide, as a minimum, the following
 informational items:
 - Operator name, address, and telephone number.
 - o Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be
 reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported
 verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will
 be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of
 Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid,

Page 6 of 6 Well: CWU 1583-25D 3/29/2012

and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
 lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
 suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
 obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior approval
 of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
 approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
 of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in order that a representative may witness plugging operations. If a well is suspended or abandoned, all pits must be fenced immediately until they are backfilled. The "Subsequent Report of Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of the well bore, showing location of plugs, amount of cement in each, and amount of casing left in hole, and the current status of the surface restoration.

Sundry Number: 25929 API Well Number: 43047521580000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mei	ridian: S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/21/2012		OTHER	OTHER:
	WILDCAT WELL DETERMINATION		
	COMPLETED OPERATIONS. Clearly show I was spud on 5/12/12. Plea chronology.	•	• • •
NAME (PLEASE PRINT)	PHONE NUM		
Mickenzie Gates	435 781-9145	Operations Clerk	
SIGNATURE N/A		DATE 5/21/2012	

RECEIVED: May. 21, 2012

Sundry Number: 25929 API Well Number: 43047521580000

WELL	CHRONOLOGY
	REPORT

Report Generated On: 05-21-2012

Well Name	CWU 1583-25D	Well Type	DEVG	Division	DENVER	
Field	CHAPITA DEEP	API#	43-047-52158	Well Class	DRIL	
County, State	UINTAH, UT	Spud Date		Class Date		
Tax Credit	N	TVD / MD	9,310/9,442	Property #	067505	
Water Depth	0	Last CSG	0.0	Shoe TVD / MD	0/0	
KB / GL Elev	5,097/ 5,078					
Location	Section 25–T9S–R22E, SWNW, 2143 FNL & 1177 FWL					

DRILL & COMPLETE

			F					
Operator	EOG RESOUR	CES, INC WI	% 100	0.0	NRI %		82.139316	
AFE No	310983	AF	E Total	1,597,800	DHC / C	wc	785,100/ 81	12,700
Rig Contr	TRUE	Rig Name	TRUE #34	Start Date	05-11-2012	Release 1	Date	
05-04-2012	Reported By	SHARC	N CAUDILL					
DailyCosts: Da	rilling \$0		Completion	\$0	Daily	Total	\$0	
Cum Costs: D	rilling \$0		Completion	\$0	Well	Total	\$0	
MD	0 TVD	0 Pro	ogress 0	Days	0 MW	0.0	Visc	0.0
Formation:		PBTD : 0.0		Perf:		PKR De	pth: 0.0	

Activity at Report Time: LOCATION DATA

1.0

Event No

Start	End	Hrs	From To	Activity Description
06:00	06:00	24.0	0	0 LOCATION DATA

SHL: 2143' FNL & 1177' FWL (SW/NW)

SECTION 25, T9S, R22E UINTAH COUNTY, UTAH

Description

LAT 40 DEG 00' 30.14", LONG 109 DEG 23' 36.72" (NAD 83) LAT 40 DEG 00' 30.26", LONG 109 DEG 23' 34.27" (NAD 27)

PROPOSED BHL: 2306' FNL & 246' FWL (SW/NW)

SECTION 25, T9S, R22E UINTAH COUNTY, UTAH

TRUE RIG #34

OBJECTIVE TD: 9442' MD / 9310' TVD MESAVERDE

DW/GAS

CHAPITA WELLS DEEP PROSPECT

DD&A: CHAPITA DEEP NATURAL BUTTES FIELD

LEASE: UTU-0285A API #: 43-047-52158

RECEIVED: May. 21, 2012

Well Name: CWU 1583–25D Field: CHAPITA DEEP Property: 067505

ELEVATION: 5079' NAT GL, 5078.96' (0.4' CUT AT STAKE), PREP GL (DUE TO ROUNDING PREP GL IS 5079'), 19' KB (5098')

MULTI PAD WELL: CWU 1580–25D, CWU 1581–25D, CWU 1582–25D, CWU 1583–25D, CWU 1584–25D, CWU 1585–25D

EOG WI 100%, NRI 82.139316%

05-08-2012	Repo	rted By		ROBERT WILKIN	NS						
DailyCosts: Dr	illing	\$0		Con	npletion	\$0		Daily	Total	\$0	
Cum Costs: Dr	illing	\$0		Con	npletion	\$0		Well	Fotal	\$0	
MD	0 T	VD	0	Progress	0	Days	0	MW	0.0	Visc	0.0
Formation :			PBTD	: 0.0		Perf:			PKR De	pth: 0.0	
Activity at Rep	ort Time	LOCATI	ON BUII	LD.							
Start End	Hrs	From	To	Activity Descri	ption						
06:00 06:0	24.	0 0	0	LOCATION BUIL	LD START	ED YESTERD.	AY, 5/7/12.	STARTED P	USHING ON	LOCATION.	
05-09-2012	Repo	rted By		ROBERT WILKIN	NS						
DailyCosts: Dr	illing	\$0		Con	npletion	\$0		Daily	Total	\$0	
Cum Costs: Dr	illing	\$0		Con	npletion	\$0		Well	Fotal	\$0	
MD	0 T	VD	0	Progress	0	Days	0	MW	0.0	Visc	0.0
Formation :			PBTD	: 0.0		Perf:			PKR De	pth: 0.0	
Activity at Rep	ort Time	LOCATI	ON BUII	LD.							
Start End	Hrs	From	To	Activity Descri	ption						
06:00 06:0) 24.	0 0	0	HIT ROCK ON N	•	E OF LOCAT	ION, DRIL	LED AND SH	OT BACK T	O PUSHING	WITH

LOCATION IS 55% COMPLETE.

05-11-2012	R	eported By	R	OBERT WILKIN	IS						
DailyCosts: Dr	illing	\$0		Com	pletion	\$0		Daily	Total	\$0	
Cum Costs: Dr	illing	\$0		Com	pletion	\$0		Well	Fotal	\$0	
MD	0	TVD	0	Progress	0	Days	0	MW	0.0	Visc	0.0
Formation:			PBTD:	0.0		Perf:			PKR Dej	oth: 0.0	

Activity at Report Time: WO SURFACE RIG

Start	End	Hrs	From To	Activity Description
06:00	06:00	24.0	0	0 LOCATION IS ALL ROUGHED IN DOING FINAL GRADING.
				HAULING ON CLOSED LOOP.

LOCATION IS 100% COMPLETE.

05-15-2012	2 Ro	eported By	F	YLAN COOK							
DailyCosts:	Drilling	\$0		Com	pletion	\$0		Daily T	otal	\$0	
Cum Costs:	Drilling	\$0		Com	pletion	\$0		Well To	tal	\$0	
MD	60	TVD	60	Progress	0	Davs	0	MW	0.0	Visc	0.0

Sundry Number: 25929 API Well Number: 43047521580000

Well Name: CWU 1583–25D Field: CHAPITA DEEP Property: 067505

Formation: PBTD: 0.0 Perf: PKR Depth: 0.0

Activity at Report Time: CONDUCTOR SET

Start End Hrs From To Activity Description

06:00 06:00 24.0 0 60 CRAIG'S BUCKET RIG SPUD A 20" HOLE ON 05/12/12. SET 60' OF 14" CONDUCTOR. CEMENT TO SURFACE WITH REDI–MIX.

KYLAN COOK NOTIFIED BLM VIA EMAIL OF THE SPUD ON 05/09/12 @ 13:00 PM.

Sundry Number: 25710 API Well Number: 43047521580000

	STATE OF UTAH			FORM 9		
Γ	DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	Y NOTICES AND REPORT	rs on	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significar eenter plugged wells, or to drill ho for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section: 2	IP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	Meridian:	S	STATE: UTAH		
11. CHEC	(APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly she ferenced well was spud of	C C C C C C C C C C C C C C C C C C C		CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: DEPths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 14, 2012		
NAME (PLEASE PRINT)	PHONE NU	JMBER	TITLE			
Mickenzie Gates SIGNATURE N/A	435 781-9145		Operations Clerk DATE 5/14/2012			

Sundry Number: 25711 API Well Number: 43047521580000

	STATE OF UTAH		FORM 9		
[DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	pposals to drill new wells, significantly dreenter plugged wells, or to drill horizon nor such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merid	lian: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
5/14/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	U TUBING REPAIR	VENT OR FLARE	✓ WATER DISPOSAL		
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
EOG Resources, Inc of produced water 550-30N SWD Evaporation Ponds	COMPLETED OPERATIONS. Clearly show all completed operations. Clearly show all completes authors at the following locations: NB & CWU 2-29 SWD ROW# UTU 1,2,3,4,5,6&7, White River End of the second se	rization for the disposal JU 20-20B SWD, CWU J85038, Red Wash vaporation Ponds 1&2, D and Hoss SWD Wells			
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMBE				
SIGNATURE	435 781-9145	Operations Clerk DATE			
N/A		5/14/2012			

Sundry Number: 25712 API Well Number: 43047521580000

	STATE OF UTAH		FORM 9		
I	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meri	idian: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPO	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION		
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐		
Report Date: 5/14/2012		SI TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
	completed operations. Clearly show ty has occurred since spud		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 14, 2012		
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUME 435 781-9145	BER TITLE Operations Clerk			
SIGNATURE		DATE			
l N/A		5/14/2012			

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM								
Operator:	EOG Resources, Inc.		Operator Account Number N. 9550					
Address:	600 17th Street, Suite 1000N		Operator Account Number: N 9550					
	city Denver		Manage .					
	state CO	zio 80202	Phone Number: (303) 824-5590					

Well 1

API Number	QQ	Sec	Twp	Ring	County			
43-047-52156	Chapita Wells Unit 1	SWNW	25	98	22E	UINTAH		
Action Gode	Current Entity Number	New Entity Number	8	Spud Date		Entity Assignment Effective Date		
A comments:	59	1360	5/11/2012			5/14/18012		

Well 2

Wells Unit 1584-25D	SWNW	Sec 25	Twp 9S		County	
				22E	UINTAH	
nt Entity New Entity Imber Number				Entity Assignment Effective Date		
59 13650	5/	12/201	2		11,12013	
	imber Number	imber Number	imber Number	imber Number	imber Number Ef	

Well 3

ita Wells Unit 1	583-25D	SWNW	25	Twp	Rng	County	
And which we have an arrangement		100010011	20	98	22E	UINTAH	
rrent Entity Number	New Entity Number	Si	oud Dat	ud Date		ity Assignment ffective Date	
59	13650	5/12/2012		2	5/16/2012		
	Number	Number Number 59 \3650	Number Number 59 13650 5	Number Number 59 13650 5/12/201	Number Number 59 13650 5/12/2012	Number Number E 59 13650 5/12/2012 5/1	

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

RECEIVED

MAY 1 4 2012

Senior Regulatory Assistant

Vail Nazzaro

5/14/2012 Date

(5/2000)

Sundry Number: 26399 API Well Number: 43047521580000

	STATE OF UTAH		FORM 9		
[DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.	deepen existing wells below ontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mei	ridian: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
✓ DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date: 6/4/2012					
	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
	COMPLETED OPERATIONS. Clearly show occurred since last submis	ssion on 05/21/2012.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 04, 2012		
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUM 435 781-9145	BER TITLE Operations Clerk			
SIGNATURE		DATE			
l N/A		6/4/2012			

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Con	mpany;	EOG	RESO	URCI	ES, INC.		
Well Name	\•	CWI	J 1583 .	-25D			
		2158					
Section 25	Township	0 98 Ra	inge	22E	County	UIN	TAH
Drilling Cor	ntractor <u>C</u>	RAIG'S ROU	STAB	OUT :	SERV	_RIG #	6
SPUDDE	D:						
	Date	06/08/2012	2	- .			
	Time	6:00 P M	_	_			
	How	ROTAR	<u>Y</u>	-			
Drilling w				<u> </u>			
Reported by		KERF	RY SA	LES_			
Telephone #		(801)	598-50	087		_	
Date	06/08/2012	Signed	CH	ΙĐ			

Sundry Number: 27239 API Well Number: 43047521580000

	STATE OF UTAH				FORM 9	
ι	DEPARTMENT OF NATURAL RESOURDIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNATION AND SERIAL UTU0285A	NUMBER:	
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE	NAME:	
	posals to drill new wells, significantl eenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	<mark>IIP, RANGE, MERIDIAN:</mark> 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH		
11. CHECK	(APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		ALTER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME		
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	☐ NEW CONSTRUCTION		
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATI	ON	
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	0.11	
✓ DRILLING REPORT	TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL		
Report Date: 7/2/2012	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION	-	
	WILDCAT WELL DETERMINATION		OTHER	OTHER:		
Surface casing wa	COMPLETED OPERATIONS. Clearly showns set on 6-10-2012, please chronology.	e see	the attached well	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD O	NLY	
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUM 303 824-5590	IBER	TITLE Sr. Regulatory Assistant			
SIGNATURE N/A			DATE 7/2/2012			

RECEIVED: Jul. 02, 2012

Well Name: CWU 1583–25D Field: CHAPITA DEEP Property: 067505

Formation: PBTD: 0.0 Perf: PKR Depth: 0.0 Activity at Report Time: CONDUCTOR SET Start End Hrs From To **Activity Description** 06:00 06:00 24.0 0 60 CRAIG'S BUCKET RIG SPUD A 20" HOLE ON 05/12/12. SET 60' OF 14" CONDUCTOR. CEMENT TO SURFACE WITH REDI-MIX. KYLAN COOK NOTIFIED BLM VIA EMAIL OF THE SPUD ON 05/09/12 @ 13:00 PM. 06-06-2012 KERRY SALES / GREG WILLIAMSON Reported By DailyCosts: Drilling \$14,715 \$0 **Daily Total** \$14,715 Completion \$71,400 \$0 **Cum Costs: Drilling** Completion Well Total \$71,400 MD 319 **TVD** 319 **Progress** 0 Days 0 MW0.0 Visc 0.0 **Formation: PBTD**: 0.0 Perf: PKR Depth: 0.0 Activity at Report Time: PU BHA Start End Hrs From To **Activity Description** 319 MIRU, ROTATE LINERS ON PUMP, REPLACE PACKING ON CENTRIFUGAL PUMP, SPOT RIG AND 13:00 21:30 8.5 319 RIG UP. WORK ON FLOW LINE. REPLACE SHAKER SCREENS. 319 TRIP IN 1 DP TO CIRCULATE AND TEST FLOW LINE HOSE. FLEXIBLE FLOW LINE FAILED TO 21:30 22:00 0.5 319 TRANSFER FLUID FROM WELLBORE TO PITS PROPERLY. 319 RIG DOWN FLEXIBLE FLOW LINE AND RIG UP HARD LINE. WELDER WELDED EXTENSION ON 03:00 22:00 5.0 319 HARD FLOW LINE. 319 PU DIRECTIONAL TOOLS AND BHA. 03:00 06:00 3.0 319 BIT TO BEND 6.3, BEND 1.75, RPG 0.16, BIT TO SENSOR 58. CHECKED WELL DIRECTION WITH 2 GPS UNITS FOR SCRIBING IN HOLE. ALL DEPTHS AND SURVEYS ADJUSTED 19' FOR TRUE 34 RKB. KERRY SALES / GREG WILLIAMSON 06-07-2012 Reported By \$30,133 \$0 **Daily Total** \$30,133 DailyCosts: Drilling Completion **Cum Costs: Drilling** \$101,533 \$0 Well Total \$101,533 Completion 1,599 **TVD** 1,575 1,280 0 MW0.0 0.0 MD Visc **Progress Days Formation: PBTD**: 0.0 Perf: PKR Depth: 0.0 Activity at Report Time: DRILLING@ 1599 Start End **Activity Description** Hrs From To 319 PICK UP BHA. FILL PIPE AND CHECK PUMP AND LINES. 06:00 07:00 1.0 319 07:30 319 SERVICE RIG. 07:00 0.5 319 07:30 18:00 10.5 319 879 ROTATE AND SLIDE DRILL FROM 319' TO 879'. 560' ROP 53', WOB 10-12K, ROTARY 45, MOTOR 80, GPM 497, STROKES 131, PSI 700. TFO 10R, ROTATE 38% SLIDE 62%. 1.8' LEFT 4.4' ABOVE THE 1599 ROTATE AND SLIDE DRILL FROM 879' TO 1599', 720' ROP 60', WOB 15-20K, ROTARY 40, MOTOR 18:00 06:00 12.0 879 80, GPM 497, STROKES 131, PSI 1150, DIFF PSI 200. TFO 20R, ROTATE 38% SLIDE 62%. 7' RIGHT 10' ABOVE THE LINE. KERRY SALES / GREG WILLIAMSON 06-08-2012 Reported By \$38,516 \$38,516 DailyCosts: Drilling \$0 **Daily Total** Completion \$140,049 \$0 Well Total \$140,049 **Cum Costs: Drilling** Completion MD 2,295 **TVD** 2,235 696 0 MW0.0 0.0 **Progress Davs** Visc **Formation: PBTD**: 0.0 Perf: PKR Depth: 0.0 Activity at Report Time: TOH

Well Name: CWU 1583-25D Field: CHAPITA DEEP Property: 067505

Start	End	Hrs	From	То	Activity Descrip	tion						
06:00	09:30	3.5	1599	1809	ROTATE AND SL		L FROM 159	9' TO 1809'.				
09:30	10:30	1.0	1809	1809	WELD AND REPA	AIR LEAK	IN FLOW L	INE.				
10:30	13:00	2.5	1809	1929	ROTATE AND SL 80, GPM 497, STR RIGHT 5' ABOVE	OKES 13	1, PSI 1250, I					
13:00	18:00	5.0	1929	1929	CIRCULATE BOT	TOMS UI	P, LAY DOW	N 24 JT'S, RI	EPAIR WAS	SH PIPE AND	PACKING, PIC	K UP JT'S.
18:00	02:00	8.0	1929	2295	ROTATE AND SL. 80, GPM 497, STR RIGHT 5' ABOVE	OKES 13	1, PSI 1250, 1					
					GOOD CIRCULA			D				
					(TVD / MD 60' AT			υ.				
02:00	03:30	1.5	2295	2295	CIRCULATE FOR		1 111).					
03:30	06:00	2.5			TOOH @ 800'.	1.5 1110.						
06-09-2			ted By		KERRY SALES /	GREG WI	LLIAMSON					
	sts: Drilli	•	\$30,5	34	Com	pletion	\$0		Dail	ly Total	\$30,534	
-	sts: Drilli	_	\$170,			pletion	\$0			l Total	\$170,583	
MD	2,29	5 TV	/ D	2,235	5 Progress	0	Days	0	MW	0.0	Visc	0.0
Formati	on:			PBTD	: 0.0		Perf:			PKR De	oth: 0.0	
Activity	at Report	t Time:	PREP TO	TIH W/	SURFACE CSG					•	•	
Start	End	Hrs	From	То	Activity Descrip	tion						
06:00	09:00	3.0	2295	2295	TOH AND LAY D		ECTIONAL	TOOLS.				
09:00	10:00	1.0	2295	2295	MEASURE AND	SET UP B	HA.					
10:00	12:00	2.0	2295	2295	P/U BHA ANDRII	H WITH W	IPE TRIP TO	O 520'.				
12:00	20:00	8.0	2295	2295	WASH/REAM FROM HOLE WITH OUT							JOINT IN
20:00	22:00	2.0	2295	2295	CIRCULATE BOT	TOMS UI	W/TWO PO	DLYMER SW	EEPS AND	SPOT 30 BBL	S OF MUD	
22:00	04:00	6.0	2295	2295	TOH WASH THRO	OUGH TIC	GHT SPOTS	AT 2235', 179	5', 1495' A	ND 795'.		
04:00	06:00	2.0	2295	2295	R/U FOR CASINO	3.						
06-10-2	2012	Repor	ted By		KERRY SALES /	GREG WI	LLIAMSON					
DailyCo	sts: Drilli	ng	\$147,	710	Com	pletion	\$0		Dail	ly Total	\$147,710	
Cum Co	sts: Drilli	ng	\$318,	294	Com	pletion	\$0		Wel	l Total	\$318,294	
MD	2,29	5 T V	/D	2,235	5 Progress	0	Days	0	MW	0.0	Visc	0.0
Formati	on:			PBTD	: 0.0		Perf:			PKR De _l	oth: 0.0	
Activity	at Report	t Time:	WORT									
Start	End	Hrs	From	To	Activity Descrip	tion						
06:00	10:30	4.5	2295	2295	RUN 55 JTS OF 9 TRUE 34. FLOAT JOINT AND EACI CIRCULATING S PLUS.	COLLAR H JOINT U	AT 2241.03' JNTIL GON	. RUN 8 CEN E FROM 2275	TRALIZEF ' TO 1939'	RS IN THE MII TWO FROM 3	DDLE OF THE 309' TO 351'. P	FIRST ICK
10:30	11:30	1.0	2295	2295	RUN 200' OF 1" T	OP OUT I	PIPE.					
11:30	13:00	1.5		2295	RDMO. SET TOP	OUT PIPI	E AND INST	ALL CEMEN	T HEAD.			
					RIG RELEASED	AT 13:00 H	IRS ON 6/9/2	2012.				

Sundry Number: 27239 API Well Number: 43047521580000

Well Name: CWU 1583–25D Field: CHAPITA DEEP Property: 067505

 $13:00 \qquad 06:00 \qquad 17.0 \qquad 2295 \qquad 2295 \quad \text{MIRU: HALLIBURTON CEMENTERS. HELD SAFETY MEETING. PRESSURE TESTED LINES AND}$

CEMENT VALVE TO 2000 PSI. PUMPED 20 BBLS GELLED WATER FLUSH AHEAD OF CEMENT. LEAD: MIXED AND PUMPED 250 SACKS (183 BBLS) OF PREMIUM LEAD CEMENT 10.5 PPG, YIELD 4.1 WITH 0.2% VARSET, 2% CALSEAL, AND 2% EX-1. TAIL: MIXED AND PUMPED 300 SACKS (63 BBLS) OF PREMIUM CEMENT W/2% CACL2. MIXED CEMENT @ 15.6 PPG W/YIELD OF 1.18. WE DISPLACED CEMENT W/172 BBLS OF DRILL WATER. FCP 600 PSI, BUMPED PLUG W/1350 PSI @ 15:16 PM ON 06/09/2012. FLOAT HELD. GOOD RETURNS THROUGHOUT JOB. LOST RETURNS 160 INTO DISPLACEMENT WITH 10 BBLS OF GELLED WATER SPACER TO SURFACE, WOC 1 HR.

TOP JOB # 1: DOWN 200' OF 1' PIPE, MIXED & PUMPED 135 SX (27.6 BBLS) OF PREMIUM CEMENT W/2% CACL2. MIXED CEMENT @ 15.8 PPG W/YIELD OF 1.15 CF/SX. 1 BBL OF LEAD CEMENT TO SURFACE AND FELL BACK. WAIT ON CEMENT 2 HRS.

TOP JOB # 2: DOWN 6' OF 1" PIPE 50 SX (10.2 BBLS) OF PREMIUM CEMENT W/2% CACL2. MIXED CEMENT @ 15.8 PPG W/YIELD OF 1.15 CF/SX. 3 BBL CEMENT TO SURFACE WELL STATIC, OBSERVE WELL FOR 1 HR WHILE RIGGING DOWN.

PREPARED THE LOCATION FOR ROTARY RIG. WORT. WILL DROP FROM REPORT UNTIL FURTHER ACTIVITY.

KERRY SALES NOTIFIED THE BLM VIA E–MAIL OF THE SURFACE CASING & CEMENT JOB ON $6/08/2012 \ @ \ 06:00$.

KERRY SALES NOTIFIED CAROL DANIELS WITH UDOGM OF THE SURFACE CASING AND CEMENT VIA PHONE ON 6/08/2012 AT 06:00.

STATE AND BLM NOTIFIED ON 6/07/2012 @ 06:10.

TRANSFERRED TO CWU 1581–25D: 4 JOINTS OF 9 5/8, K–55, 36#, STC. TOTAL THREADS OFF LENGTH 160.83'. CONDITION A.

Sundry Number: 28245 API Well Number: 43047521580000

	FORM 9		
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly dea eenter plugged wells, or to drill horizonta n for such proposals.	epen existing wells below I laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		IONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meridia	n: S	STATE: UTAH
11. CHECI	APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
8/1/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:
44 DESCRIPE PROPOSED OR			
	COMPLETED OPERATIONS. Clearly show all p		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 07, 2012
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUMBER 303 824-5590	TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 8/1/2012	

Sundry Number: 29466 API Well Number: 43047521580000

	FORM 9			
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 85 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	ilP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mer	ridian:	s	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	□ A	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ c	HANGE TUBING	CHANGE WELL NAME
SUBSEQUENT REPORT	CHANGE WELL STATUS	☐ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	∐ FI	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	∐ PI	LUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	∐ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	∐ sı	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	∐ vi	ENT OR FLARE	WATER DISPOSAL
Report Date: 9/4/2012	WATER SHUTOFF	□ s	I TA STATUS EXTENSION	APD EXTENSION
9/4/2012	WILDCAT WELL DETERMINATION	☐ o	THER	OTHER:
	COMPLETED OPERATIONS. Clearly shows occurred since last submi	issio		epths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 04, 2012
Vail Nazzaro	303 824-5590	J-I\	Sr. Regulatory Assistant	
SIGNATURE N/A			DATE 9/4/2012	

Sundry Number: 30747 API Well Number: 43047521580000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					DESIGNATION AND SERIAL NUMBER: 55A
SUNDRY NOTICES AND REPORTS ON WELLS					AN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deep contal l	en existing wells below laterals. Use APPLICATION	7.UNIT or CHAPITA	CA AGREEMENT NAME: A WELLS
					NAME and NUMBER: 583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NU I 430475	MBER: 21580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext		and POOL or WILDCAT: LL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR 01	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	FRACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	F	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR		/ENT OR FLARE		WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION		APD EXTENSION
10/5/2012	WILDCAT WELL DETERMINATION		OTHER	OTHER	R:
	COMPLETED OPERATIONS. Clearly show	•	•	FOR	umes, etc. Accepted by the Utah Division of , Gas and Mining R RECORD ONLY October 09, 2012
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUM 435 781-9145	IBER	TITLE Lead Regulatory Assistant		
SIGNATURE N/A			DATE 10/5/2012		

Sundry Number: 31714 API Well Number: 43047521580000

	FORM 9					
[5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A					
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepen existing wells below ntal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D			
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	dian: S	STATE: UTAH			
11. CHECI	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
·	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
✓ DRILLING REPORT	L TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL			
Report Date: 11/5/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. No activity has occurred since last submission on 10/5/2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 06, 2012						
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMB 435 781-9145	ER TITLE Lead Regulatory Assistant				
SIGNATURE N/A		DATE 11/5/2012				
I IN/ /*\		II 11/0//U1/				

Sundry Number: 33673 API Well Number: 43047521580000

	FORM 9			
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
54.0 St. 110.1.1 SSplot.10.11	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL
Report Date: 1/8/2013	WATER SHUTOFF	□ :	SI TA STATUS EXTENSION	APD EXTENSION
17072013	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly sho	-	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 09, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUI 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE 1/8/2012	
N/A			1/8/2013	

Sundry Number: 34452 API Well Number: 43047521580000

	FORM 9			
[5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significan reenter plugged wells, or to drill hon n for such proposals.	ntly deep rizontal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 85 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township։ 09.0S Range։ 22.0E Ո	Лeridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	RACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR			
✓ DRILLING REPORT			ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 2/4/2013	WATER SHUTOFF	∟s	I TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	□ 0	THER	OTHER:
	COMPLETED OPERATIONS. Clearly sh activity has occured since	-	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 07, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	IMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
N/A			2/4/2013	

RECEIVED: Feb. 04, 2013

Sundry Number: 35126 API Well Number: 43047521580000

	FORM 9			
[5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.	tly deep izontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	leridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	П	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 3/1/2013	WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	completed operations. Clearly she activity has occured since	•	<u>-</u> .	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 01, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
l N/A			3/1/2013	

Sundry Number: 36182 API Well Number: 43047521580000

	FORM 9			
I	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significan reenter plugged wells, or to drill hon n for such proposals.	ntly deep rizontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	/leridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LITER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE		LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	□ v	ENT OR FLARE	☐ WATER DISPOSAL
Report Date: 4/2/2013	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	APD EXTENSION
4/2/2010	WILDCAT WELL DETERMINATION		THER	OTHER:
	completed operations, clearly sh activity has occurred since	•	- :	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
N/A			4/2/2013	

Sundry Number: 37448 API Well Number: 43047521580000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOUP DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deepen existing wells below contal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian: S	STATE: UTAH
CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/3/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly show	well spud.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 10, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUM 303 824-5590	IBER TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 5/3/2013	

Sundry Number: 38505 API Well Number: 43047521580000

			FORM 9
	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURG DIVISION OF OIL, GAS, AND MII		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mer	idian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
☐ NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	_		
Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
6/4/2013	WILDCAT WELL DETERMINATION	OTHER	OTHER:
12. DESCRIBE PROPOSED OR	COMPLETED OPERATIONS. Clearly show	all pertinent details including dates.	depths, volumes, etc.
	activity has occurred since v		Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 10, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUME 303 824-5590	BER TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 6/4/2013	

Sundry Number: 39467 API Well Number: 43047521580000

	FORM 9			
[DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND I		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.	ntly deep rizontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D			
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LITER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	П.	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 7/1/2013	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	APD EXTENSION
17172010	WILDCAT WELL DETERMINATION	∐ c	THER	OTHER:
	COMPLETED OPERATIONS. Clearly sh activity has occurred since	-	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 01, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE	300 02 1 0000		DATE	
N/A			7/1/2013	

RECEIVED: Jul. 01, 2013

Sundry Number: 40686 API Well Number: 43047521580000

	FORM 9			
	DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND I		3	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D			
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	Meridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDI	CATE N	ATURE OF NOTICE, REPOF	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		FRACTURE TREAT	New construction
54.0 St. 110.1.1 SSplot.10.11	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL
Report Date: 8/2/2013	WATER SHUTOFF	□ :	SI TA STATUS EXTENSION	APD EXTENSION
0/2/2013	WILDCAT WELL DETERMINATION		OTHER	OTHER:
No a	COMPLETED OPERATIONS. Clearly sh activity has occurred since	-	spud.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 02, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE 8/2/2012	
N/A			8/2/2013	

RECEIVED: Aug. 02, 2013

Sundry Number: 41918 API Well Number: 43047521580000

STATE OF UTAH			FO	RM 9	
	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNATION AND SERIAL NUM UTU0285A	IBER:
SUNDRY NOTICES AND REPORTS ON WELLS				6. IF INDIAN, ALLOTTEE OR TRIBE NAME	i:
	pposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D	
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	F	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	Π,	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL	
✓ DRILLING REPORT	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION	
Report Date: 9/3/2013					
	WILDCAT WELL DETERMINATION		OTHER	OTHER:	
	COMPLETED OPERATIONS. Clearly show			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONL September 03, 2013	(
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUN 303 824-5590	IBER	TITLE Sr. Regulatory Assistant		
SIGNATURE			DATE		
N/A			9/3/2013		

Sundry Number: 43191 API Well Number: 43047521580000

	FORM 9			
[DEPARTMENT OF NATURAL RESON DIVISION OF OIL, GAS, AND I		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D			
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Ո	Лeridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LITER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 10/2/2013	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly sh activity has occurred since	-	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	IMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE	300 02 1 0000		DATE	
N/A			10/2/2013	

Sundry Number: 47055 API Well Number: 43047521580000

			FORM 9
	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES	3	
	DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
	RY NOTICES AND REPORTS O	_	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro- current bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		HONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meridia	an: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	New construction
1/23/2014	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	UENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER: Drilling Operations
No	COMPLETED OPERATIONS. Clearly show all activity has occured since wel	I spud.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 23, 2014
NAME (PLEASE PRINT) Kaylene Gardner	435 781-9111	Regulatory Administrator	
SIGNATURE N/A		DATE 1/23/2014	

RECEIVED: Jan. 23, 2014

Sundry Number: 52825 API Well Number: 43047521580000

	FORM 9					
I	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	SUNDRY NOTICES AND REPORTS ON WELLS					
Do not use this form for procurrent bottom-hole depth, IFOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS					
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1583-25D					
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian: S	STATE: UTAH			
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	DRT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
7/1/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE			
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION			
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
		RECLAMATION OF WELL SITE				
SPUD REPORT	PRODUCTION START OR RESUME		☐ RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON			
	L TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Operations			
EOG Resources casing was set on gas pricin	completed operations. Clearly show spud the referenced well 5 6/10/12 at 2,285.58 TD. Dg, no activity has occurred	/12/12. 9-5/8" surface ue to decline in natural since 6/10/12.	Accepted by the Utah Division of Oil, Gas and Mining FORIRECORD ONLY			
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUM 303 262-9467	BER TITLE Sr. Regulatory Assistant				
SIGNATURE N/A		DATE 7/1/2014				

RECEIVED: Jul. 01, 2014

Sundry Number: 54006 API Well Number: 43047521580000

		FORM 9			
1	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		à	5.LEASE DESIGNATION A UTU0285A	ND SERIAL NUMBER:
SUNDR	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME:			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.				7.UNIT or CA AGREEMEN CHAPITA WELLS	IT NAME:
1. TYPE OF WELL Gas Well	8. WELL NAME and NUME CWU 1583-25D	BER:			
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WI NATURAL BUTTES	LDCAT:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mo	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
EOG Resources casing was set on	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly sho spud the referenced well & 6/10/12 at 2285.58' TD. E. g, no activity has occurred	w all pec 5/12/2	12. 9-5/8" surface o decline in natural	CASING REPAIR CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFER TEMPORARY ABANDO WATER DISPOSAL APD EXTENSION OTHER: Drilling Ops Pepths, volumes, etc. Accepted by Utah Divisio Oil, Gas and M FOR RECOF August 18,	RENT FORMATION ON The n of lining RD ONLY
NAME (PLEASE PRINT)	PHONE NUM	/BER	TITLE		
Donna J Skinner SIGNATURE	303 262-9467		Sr. Regulatory Assistant DATE		
N/A			8/1/2014		

Sundry Number: 55031 API Well Number: 43047521580000

		FORM 9				
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					
SUNDRY NOTICES AND REPORTS ON WELLS					IAN, ALLOTTEE OR TRIBE NAME:	
	posals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.				OF CA AGREEMENT NAME: FA WELLS	
1. TYPE OF WELL Gas Well					NAME and NUMBER: 583-25D	
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NI 43047	JMBER: 521580000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 85 781-9111 Ext		and POOL or WILDCAT: AL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meri	dian:	s	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICAT	TE NA	ATURE OF NOTICE, REPOR	T, OR C	THER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		LTER CASING		CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		HANGE TUBING		CHANGE WELL NAME	
Approximate date work will start:						
✓ SUBSEQUENT REPORT	CHANGE WELL STATUS		OMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE	
Date of Work Completion: 6/10/2012	L DEEPEN	☐ FI	RACTURE TREAT		NEW CONSTRUCTION	
0/10/2012	OPERATOR CHANGE	∐ PI	LUG AND ABANDON		PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	R	ECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SI	IDETRACK TO REPAIR WELL		TEMPORARY ABANDON	
	TUBING REPAIR	□ vi	ENT OR FLARE		WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	☐ sı	I TA STATUS EXTENSION		APD EXTENSION	
	WILDCAT WELL DETERMINATION	√ o	THER	отн	ER: Drilling Operations	
40 DECODINE DRODOGED OF			discontinuo de la contra del la contra de la contra del la contra del la contra de la contra de la contra del		·	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, EOG Resources spud the referenced well 5/12/12. 9-5/8" surface casing wsa set on 6/10/12 at 2285.58' TD. Due to decline in natural gas pricing, no activity has occurred since 6/10/12.				o FOI	Accepted by the Utah Division of il, Gas and Mining R RECORD ONLY September 04, 2014	
NAME (PLEASE PRINT)	PHONE NUMB	ER	TITLE			
Donna J Skinner	303 262-9467		Sr. Regulatory Assistant			
SIGNATURE N/A			DATE 9/2/2014			

Sundry Number: 56374 API Well Number: 43047521580000

	FORM 9				
ι	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D		
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merid	ian: S	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICATI	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
	☐ ACIDIZE	ALTER CASING	CASING REPAIR		
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
Approximate date work will start:	<u>-</u> -	_			
✓ SUBSEQUENT REPORT	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE		
Date of Work Completion: 6/10/2012	L DEEPEN _	FRACTURE TREAT	NEW CONSTRUCTION		
0/10/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION		
Report Date:		SI TA STATUS EXTENSION			
	WILDCAT WELL DETERMINATION	OTHER	OTHER: Drilling Operations		
12. DESCRIBE PROPOSED OR EOG Resources casing was set on gas pricin	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 09, 2014				
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMBE 303 262-9467	R TITLE Sr. Regulatory Assistant			
SIGNATURE N/A		DATE 10/6/2014			

Sundry Number: 58128 API Well Number: 43047521580000

	FORM 9		
	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly de- reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		HONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meridia	n: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
✓ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	New CONSTRUCTION
Date of Work Completion: 11/21/2014			
_	☐ OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	☐ RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	L TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	☐ WILDCAT WELL DETERMINATION ✓	OTHER	OTHER: Drilling Operations
EOG Resources, surface casing wa natural gas pri	COMPLETED OPERATIONS. Clearly show all particles of the referenced wells set on 6/10/12 at 2285.58 Toing, no activity has occurred	on 5/12/12. 9-5/8" D. Due to decline in since 6/10/2012.	·
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMBER 303 262-9467	TITLE Sr. Regulatory Assistant	
SIGNATURE		DATE 11/21/2014	
N/A			

Sundry Number: 59328 API Well Number: 43047521580000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOU			FOR	M 9
1	5.LEASE DESIGNATION AND SERIAL NUMB UTU0285A	BER:			
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_			
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D	
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION			TYPE OF ACTION		
EOG Resources surface casing wa	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show, Inc. spud the referenced set on 6/10/12 at 2285.5 cing, no activity has occur.	0	5/12/2012. 9-5/8" D. Due to decline in	CHANGE WELL NAME CHANGE WELL NAME CONVERT WELL TYPE NEW CONSTRUCTION PLUG BACK RECOMPLETE DIFFERENT FORMATION TEMPORARY ABANDON WATER DISPOSAL APD EXTENSION OTHER: Drilling Operations Depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 06, 2015	,
NAME (PLEASE PRINT)	PHONE NUI	MBER	TITLE Sr. Bogulatory Assistant		
Donna J Skinner SIGNATURE N/A	303 262-9467		Sr. Regulatory Assistant DATE 12/31/2014		
13//1			12/01/2017		

Sundry Number: 64661 API Well Number: 43047521580000

					_
	STATE OF UTAH DEPARTMENT OF NATURAL RESOU			FORM	9
	5.LEASE DESIGNATION AND SERIAL NUMBER UTU0285A	R:			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	_			
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	_
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D	
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000	
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 43		NE NUMBER: 1111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	_
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	leridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA	_
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING REPAIR	_
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		FRACTURE TREAT	New construction	
6/23/2012					
_	OPERATOR CHANGE		PLUG AND ABANDON	LI PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	∐ s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	☐ s	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	✓ 0	OTHER	OTHER: Drlg Ops	
EOG Resources, surface casing wa	COMPLETED OPERATIONS. Clearly sho Inc. spud the referenced as set on 6/23/12 at 2214' ricing, no activity has occ	well o	on 5/10/12. 9-5/8" Due to decline in	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 08, 2015	
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NU I 435 781-9111	MBER	TITLE Regulatory Administrator		_
SIGNATURE	750 701-8111		DATE		_
N/A			7/7/2015		

RECEIVED: Jul. 07, 2015

Sundry Number: 65062 API Well Number: 43047521580000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					IGNATION AND SERIAL NUMBER:
SUNDRY NOTICES AND REPORTS ON WELLS					ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA CHAPITA WI	AGREEMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAM CWU 1583-	E and NUMBER: -25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBE 430475215	
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 435		NE NUMBER: 111 Ext	9. FIELD and NATURAL B	POOL or WILDCAT: UTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC.	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHE	R DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		LITER CASING	CASIN	NG REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHAN	IGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONV	/ERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	□ NEW	CONSTRUCTION
7/31/2015					BACK
	OPERATOR CHANGE		LUG AND ABANDON		
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE		MPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	□ s	IDETRACK TO REPAIR WELL	☐ TEMP	ORARY ABANDON
DRILLING REPORT	TUBING REPAIR	□ v	ENT OR FLARE	☐ WATE	ER DISPOSAL
Report Date:	WATER SHUTOFF	LJ s	I TA STATUS EXTENSION	L APD I	EXTENSION
	WILDCAT WELL DETERMINATION	√ d	THER	OTHER: DI	rilling Operations
EOG Resources, surface casing was natural gas p	completed operations. Clearly show Inc. spud the referenced values set on 6/10/12 at 2285.58 rices, no activity has occur	well o	on 5/12/12. 9-5/8" D. Due to decline in since 6/10/12.	Acce Uta Oil, G FOR F	s, etc. epted by the h Division of as and Mining RECORD ONLY ust 11, 2015
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUN 435 781-9111	MBER	TITLE Regulatory Administrator		
SIGNATURE N/A			DATE 7/31/2015		

RECEIVED: Jul. 31, 2015

Sundry Number: 65710 API Well Number: 43047521580000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING					DESIGNATION AND SERIAL NUMBER: 85A
SUNDRY NOTICES AND REPORTS ON WELLS					AN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.				CA AGREEMENT NAME: A WELLS
1. TYPE OF WELL Gas Well				1 -	NAME and NUMBER: 583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NU 430475	MBER: 521580000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 435		NE NUMBER: 111 Ext		and POOL or WILDCAT: AL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		LTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING		CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT		NEW CONSTRUCTION
8/26/2015	OPERATOR CHANGE	Пр	LUG AND ABANDON		PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:					
	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL		TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	□ v	ENT OR FLARE		WATER DISPOSAL
Report Date:	WATER SHUTOFF	∐ s	I TA STATUS EXTENSION		APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ 0	THER	OTHE	R: Drilling Operations
EOG Resources surface casing was natural gas p	completed operations. Clearly show, Inc spud the referenced we set on 6/10/12 at 2285.58 prices no activity has occur	vell o TVD red s	n 5/12/12. 9 5/8" Due to a decline in ince 6/10/12.	oi FOF	umes, etc. Accepted by the Utah Division of I, Gas and Mining R RECORD ONLY August 27, 2015
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUM 435 781-9111	IBER	TITLE Regulatory Administrator		
SIGNATURE N/A			DATE 8/26/2015		

Sundry Number: 66425 API Well Number: 43047521580000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOUF			FORM 9
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significantl eenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 435		NE NUMBER: 1111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
EOG Resources, surface casing was	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show Inc. spud the referenced viset on 6/10/12 at 2285.58' ricing, no activity has occur	G G G G G G G G G G G G G G G G G G G	on 5/12/12. 9 5/8"). Due to a decline in	Accepted by the
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUM	IBER	TITLE Regulatory Administrator	
SIGNATURE N/A	435 781-9111		DATE 9/29/2015	

Sundry Number: 74115 API Well Number: 43047521580000

	FORM 9						
ı	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A						
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:						
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D				
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000				
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH				
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mer	idian: S	STATE: UTAH				
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	T, OR OTHER DATA				
TYPE OF SUBMISSION		TYPE OF ACTION					
	ACIDIZE	ALTER CASING	CASING REPAIR				
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME				
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE				
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION				
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK				
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION				
SPUD REPORT Date of Spud:							
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON				
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE	☐ WATER DISPOSAL				
Report Date: 9/1/2016	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION				
07.1720.10	WILDCAT WELL DETERMINATION	OTHER	OTHER: Drilling Operations				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. spud the referenced well on 5/12/12. 9 5/8" surface casing was set on 6/10/12 at 2285.58' TVD. Due to a decline in natural gas pricing, no activity has occurred since 6/14/12. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 01, 2016							
NAME (PLEASE PRINT) Kristen Sheehan	PHONE NUME 303 262-9931	BER TITLE Assistant Regulatory					
SIGNATURE N/A		DATE 9/1/2016					
L + *// *		■ 0/1/2010					

Sundry Number: 76288 API Well Number: 43047521580000

	STATE OF UTAH			FORM 9
I	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A			
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202		NE NUMBER: 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	leridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
11/11/2016	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR	_	ENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	□ \$	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	1	OTHER	OTHER: Drilling Ops
EOG Resources, surface casing was natural gas p	completed operations. Clearly show, Inc. spud the referenced set on 6/10/12 at 2285.58 ricing no activity has occur	well o	on 5/12/12. 9 5/8" The to a decline in since 6/14/12.	Accepted by the
NAME (PLEASE PRINT) Kristen Sheehan	PHONE NUI 303 262-9931	MBER	TITLE Assistant Regulatory	
SIGNATURE N/A			DATE 11/11/2016	

Sundry Number: 76898 API Well Number: 43047521580000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING				5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202		NE NUMBER: 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	A	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	Пь	RACTURE TREAT	NEW CONSTRUCTION
12/13/2016				
	OPERATOR CHANGE		LUG AND ABANDON	☐ PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	∐ s	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
 	TUBING REPAIR	∐ v	ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	□s	I TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ 0	THER	OTHER: Drlg Ops
EOG Resources, surface casing was	COMPLETED OPERATIONS. Clearly show, Inc. spud the referenced we set on 6/10/12 at 2285.58' ricing no activity has occur	vell c	on 5/12/12. 9 5/8" . Due to a decline in	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 23, 2016
NAME (PLEASE PRINT) Kristen Limongelli	PHONE NUM	BER	TITLE Assistant Regulatory Sr.	
SIGNATURE	303 262-9931		DATE	
SIGNATURE N/A			12/13/2016	

Sundry Number: 77400 API Well Number: 43047521580000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURC		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 135 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
1/9/2017	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:			
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER:
EOG Resources, surface casing was	completed operations. Clearly show a , Inc. spud the referenced we set on 6/10/12 at 2285.58' T ricing no activity has occurre	ell on 5/12/12. 9 5/8" TVD. Due to a decline in	Accepted by the
NAME (PLEASE PRINT) Amber Schaller	PHONE NUMB 303-262-2840	ER TITLE Regulatory Specialist	
SIGNATURE		DATE 1/0/2017	
N/A		1/9/2017	

Sundry Number: 78113 API Well Number: 43047521580000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE		FORM 9			
ι	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A					
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizont n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS			
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1583-25D			
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521580000			
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N		PHONE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2143 FNL 1177 FWL			COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meridi	an: S	STATE: UTAH			
11. CHECK	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA			
TYPE OF SUBMISSION		TYPE OF ACTION				
	ACIDIZE	ALTER CASING	CASING REPAIR			
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME			
Approximate date work will start:	<u>-</u> -		CONVERT WELL TYPE			
✓ SUBSEQUENT REPORT	L CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS				
Date of Work Completion: 2/10/2017	L DEEPEN L	FRACTURE TREAT	☐ NEW CONSTRUCTION			
2/10/2017	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK			
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION			
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON			
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL			
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION			
,		/				
	WILDCAT WELL DETERMINATION	OTHER	OTHER: Drilling Ops			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. spud the referenced well on 5/12/12. 9 5/8" surface casing was set on 6/10/12 at 2285.58' TVD. Due to a decline in natural gas pricing no activity has occurred since 6/14/12. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 10, 2017						
NAME (PLEASE PRINT)	PHONE NUMBE	R TITLE				
Kristen Limongelli	303 262-9931	Assistant Regulatory Sr.				
SIGNATURE N/A		DATE 2/10/2017				

RECEIVED: Feb. 10, 2017